

INFO

2/2016

www.alcaplast.com

NEW

Outdoor drains with slot grids
New grid for our outdoor drain
New length of the stainless steel linear drain APZ1
Hinge holders A105 and A106
Spacer MN0085-ND for SLIM cisterns

INNOVATION

WC seat A60 with universal hinges



NEW


GRID FOR OUTDOOR DRAINS

Our outdoor drain range has grown by new grid design.

Grid **AVZ-R202** is made from cast iron a meets the requirements to be a class C250. it is intended for use mainly in areas where regular traffic load is expected from passenger cars.

Grid can be purchased separately as spare part.

CAST IRON GRID
AVZ-R202
↓
C250




NEW

AVZ103-R202

Outdoor drain 100 mm with galvanized frame and cast iron grid

↓
C250




Packaging – quantity AVZ103-R202	1 pc
Dimensions (piece)	148×143×1015 mm
Weight (piece)	11,51 kg
EAN	8595580547257

AVZ-R202

Grid for outdoor drain AVZ103 cast iron C250

↓
C250



Packaging – quantity AVZ-R202	1 pc
Dimensions (piece)	132×21,5×497 mm
Weight (piece)	3,70 kg
EAN	8595580547455


NEW

OUTDOOR DRAINS WITH SLOT GRIDS

Outdoor drains with slot grids are intended mainly for architects working on projects that stress the visual side in addition to a high quality drainage system. It is ideal for pedestrian zones, squares, sports fields, gardens, residential buildings and courtyards. Meets the load requirement for C250

The grid design is offered as symmetrical or asymmetrical (suitable for use around building walls or curbs). According to the construction height of the selected type of surface of the outdoor area we have the choice of two height variants 100 mm or 160 mm. All the grids are made of galvanised steel or stainless steel.



The offer also includes a half meter service part that can be easily removed in order to perform routine maintenance of the outdoor drain. Slot grids are also made to order.



HEIGHT VARIANTS

ASYMMETRICAL GRID

SYMMETRICAL GRID




NEW

AVZ101-R121/R321

Asymmetrical slot outdoor drain, 100 mm galvanised steel / stainless steel

↓
C250




Packaging – quantity AVZ101-R121	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	7,82 kg
EAN	8595580547288

Packaging – quantity AVZ101-R321	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	7,82 kg
EAN	8595580547295

AVZ101-R122/R322

Asymmetrical slot outdoor drain, 160 mm galvanised steel / stainless steel

↓
C250



Packaging – quantity AVZ101-R122	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	9,37 kg
EAN	8595580547301


Packaging – quantity AVZ101-R322	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	9,37 kg
EAN	8595580547318

NEW

AVZ101-R123/R323

Symmetrical slot outdoor drain, 100 mm galvanised steel / stainless steel

↓
C250




Packaging – quantity AVZ101-R123	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	7,85 kg
EAN	8595580547325

Packaging – quantity AVZ101-R323	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	7,85 kg
EAN	8595580547332

AVZ101-R124/R324

Symmetrical slot outdoor drain, 160 mm galvanised steel / stainless steel

↓
C250



Packaging – quantity AVZ101-R124	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	9,51 kg
EAN	8595580547349


Packaging – quantity AVZ101-R324	1 pc
Dimensions (piece)	140×125×1000 mm
Weight (piece)	9,51kg
EAN	8595580547356

NEW

AVZ101S-R121R/R321R

Service part – Asymmetrical slot outdoor drain, 100 mm galvanised steel / stainless steel

↓
C250




Packaging – quantity AVZ101S-R121R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	6,06 kg
EAN	8595580547363

Packaging – quantity AVZ101S-R321R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	6,06 kg
EAN	8595580547400

AVZ101S-R122R/R322R

Service part – Asymmetrical slot outdoor drain, 160 mm galvanised steel / stainless steel

↓
C250



Packaging – quantity AVZ101S-R122R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	7,82 kg
EAN	8595580547370


Packaging – quantity AVZ101S-R322R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	7,82 kg
EAN	8595580547417

NEW

AVZ101S-R123R/R323R

Service part – Symmetrical slot outdoor drain, 100 mm galvanised steel / stainless steel

↓
C250




Packaging – quantity AVZ101S-R123R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	7,16 kg
EAN	8595580547387

Packaging – quantity AVZ101S-R323R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	7,16 kg
EAN	8595580547424

AVZ101S-R124R/R324R

Service part – Symmetrical slot outdoor drain, 160 mm galvanised steel / stainless steel

↓
C250




Packaging – quantity AVZ101S-R124R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	8,93 kg
EAN	8595580547394

Packaging – quantity AVZ101S-R324R	1 pc
Dimensions (piece)	140×125×500 mm
Weight (piece)	8,93 kg
EAN	8595580547431

NEW

LINEAR DRAIN APZ1-1450 WITH GRIDS BUBLE-1450, LINE-1450 A PURE-1450

Based on the frequent inquiries for a linear drain length of 1450 mm, we decided to add this to our standard range. Grids BUBLE, LINE or PURE can be used on this size on linear drains we offer an extended warranty of 25 years.



Code	EAN	Linear drain length	Weight (piece)	Dimensions (piece)	Quantity (packing)	Quantity (pallet)
APZ1-300	8594045939194	300 mm	1,9548 kg	385×175×130 mm	9 pcs	144 pcs
APZ1-550	8594045939200	550 mm	2,8420 kg	620×170×135 mm	12 pcs	36 pcs
APZ1-650	8594045932928	650 mm	3,1140 kg	720×170×135 mm	12 pcs	36 pcs
APZ1-750	8594045932935	750 mm	3,3596 kg	820×170×135 mm	12 pcs	36 pcs
APZ1-850	8594045932942	850 mm	3,5686 kg	920×170×135 mm	12 pcs	36 pcs
APZ1-950	8594045932959	950 mm	3,8509 kg	1020×170×135 mm	12 pcs	36 pcs
APZ1-1050	8594045932966	1050 mm	4,0954 kg	1120×170×135 mm	12 pcs	36 pcs
APZ1-1150	8594045939897	1150 mm	4,2962 kg	1120×170×135 mm	12 pcs	36 pcs
New length						
APZ1-1450	8595580547110	1450 mm	5,9968 kg	1520×170×135 mm	1 pc	---

PURE-1450L/M
Grid PURE 1450 mm,
SS – polish/matt



BUBLE-1450L/M
Grid BUBLE 1450 mm,
SS – polish/matt




LINE-1450L/M
Grid LINE 1450 mm,
SS – polish/matt



NEW

APZ1-1450

Stainless steel linear drain




Packaging – quantity APZ1-1450	1 pc
Dimensions (piece)	1520×170×135 mm
Weight (piece)	6,00 kg
EAN	8595580547110

BUBLE-1450L/M, LINE-1450L/M, PURE-1450L/M


GRID PZ 1 BUBLE/LINE/PURE 1450 polish/matt

Packaging – quantity BUBLE-1450L	1 pc
Dimensions (piece)	1444×53×15 mm
Weight (piece)	1,19 kg
EAN	8595580547103




Packaging – quantity BUBLE-1450M	1 pc
Dimensions (piece)	1444×53×15 mm
Weight (piece)	1,19 kg
EAN	8595580547097

Packaging – quantity LINE-1450L	1 pc
Dimensions (piece)	1444×53×15 mm
Weight (piece)	0,96 kg
EAN	8595580547080



Packaging – quantity LINE-1450M	1 pc
Dimensions (piece)	1444×53×15 mm
Weight (piece)	0,96 kg
EAN	8595580547073

Packaging – quantity PURE-1450L	1 pc
Dimensions (piece)	1444×53×15 mm
Weight (piece)	1,15 kg
EAN	8595580547059



Packaging – quantity PURE-1450M	1 pc
Dimensions (piece)	1444×53×15 mm
Weight (piece)	1,15 kg
EAN	8595580547066

NEW

HINGE HOLDERS P105 AND P106 WITH TOP MOUNTING FOR DUROPLAST TOILET SEATS

Newly available hinge holders with top assembly for Duroplast seats with a CLICK system. These hinges are designed for use with WC pans that have limited or no access from the bottom, where the seat hinges are tightened.

Hinge holders P105 and P106 are compatible with seats models A602, A603, A604 and A606.


WC PANS WITHOUT BOTTOM ACCESS

(use P105)



WC PANS WITH LIMITED MOUNTING ACCESS


(use P106)



NEW

P105


Hinge holders P97 and P98 with upper mounting via dowel



Packaging – quantity P105	2 pcs
Dimensions (piece)	62x45x45 mm
Weight (piece)	0,09 kg
EAN	8595580547196

P106

Hinge holders P97 and P98 with upper mounting




Packaging – quantity P106	2 pcs
Dimensions (piece)	90x45x45 mm
Weight (piece)	0,10 kg
EAN	8595580547202

NEW

SPACER MN0082-ND FOR SLIM CISTERNS

To avoid potential problems caused by incorrect installation of our SLIM pre-wall installation systems, we have added a spacer to their internal mechanism.. This ensures that the proper distance between the inner walls of the cistern is maintained and also ensures correct operation of the system even if excessive pressure is developed on the front wall.

This spacer is supplied as a standard component in all new Slim cisterns delivered, but it can also be easily retrofitted into already installed systems.



MN0082-ND

Spacer to pre-wall installation systems with our SLIM cisterns (A1101 Sádromodul Slim, A1101B Sádromodul Slim, Slim Renovmodul A1115, A1115B Renovmodul Slim).




EAN

8595580547219

INNOVATION

WC SEAT WITH UNIVERSAL HINGES A60

Universal WC toilet seat A60 is made from filled polypropylene, which has properties that ensure a high color and shape stability. The very low thermal conductivity significantly reduces the feeling of stepping onto a cool surface. Its massive construction resists external mechanical damage and the semigloss appearance effectively increases resistance to conventional visible contamination.



A60 – Compatibility Chart:

	✓ ✓	✓
CERSANIT	President (C), Terra	Solari (C)
IDEAL STANDARD	Eurovit (Ecco) (C), Eurovit (Ecco), Simplicity (C), Vidima SevaMix (C), Ulysse 2 (C)	
JIKA	Mio, Lyra (C), Lyra Plus (C), Dino, Easy/Olymp, Euroline (C), Lukas, Norma (C), Olymp (C), Roman (C), Zeta (C), Zeta Plus (C)	
KERAMIN	Alca, Grand (C)	
KOLO	Napoli (C), Nova Top, Rekord, Rekord/Krainer (C), Style	Piano (C), Primo
SANITEC-KERAMAG		Renova Nr. 1
VILLEROY & BOCH	Omnia, Omnia Compact, Omnia Pro	
VITRA	Concept 100 (Ptáček), Pera, SeaBay (C)	

C = Combi WC

INNOVATION

WC SEAT WITH UNIVERSAL HINGES A60


The system for attaching the WC seat to the toilet bowl has been also improved. The new hinges, thanks to their construction, allow for a bigger range of application and we also managed to further extend the compatibility of our WC seat A60. The left and right hinges can now be interchanged, and this allows for an important few extra centimetres.




HINGES ARE INTERCHANGEABLE – ADJUSTED TO DIFFERENT PAN LENGTHS



ADJUSTABLE SCREWS – ADAPTED TO DIFFERENT PAN LENGTHS AND DISTANCES BETWEEN THE INSTALLATION HOLES



BOTH SETTING OPTIONS CAN BE COMBINED WITH EACH OTHER




IMPROVED SEALS FOR BETTER HINGES FIXATION TO THE CERAMIC PAN

INNOVATION

A60


WC Seat Antibacterial



Packaging – quantity A60	13 pcs
Dimensions (piece)	435x380x50 mm
Weight (piece)	1,42 kg
EAN	8594045930733

P0009-ND

Hinges for A60



Packaging – quantity P0009-ND	2 pcs
Dimensions (piece)	100x80x55 mm
Weight (piece)	0,08 kg
EAN	8594045931969

The ALCAPLAST team of specialists is always on hand to help with design, installation and quote project prices!

Czech product
ISO 9001:2008



Alca PLAST[®]

CZECH REPUBLIC

Alca plast, s. r. o.
Bratislavská 2846, 690 02 Breclav
tel.: +420 519 821 117 – Sales Dept. CZ
tel.: +420 519 821 041 – Export Dept.
fax: +420 519 821 083
alcaplast@alcaplast.com
www.alcaplast.com